



This is to certify that: Cixi Hongyi Electronics Co., Ltd

Industrial Area East Zone

Guan Haiwei Town

Cixi Ningbo Zhejiang 315314 China

Holds Certificate Number: KM 56507

In respect of:

BS 1363 Parts 1-5 Plugs, Socket-outlets, Adaptors and Fused Connection units.

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI: Chris Lewis - Certification Director, Product Certification

Page: 1 of 6

...making excellence a habit.™





No. KM 56507

The affixing of the Kitemark and the words 'Approved by BSI Lic No KM 56507' signify that the 13A plugs detailed on this Kitemark Certificate are approved by BSI within the meaning of the Statutory Instrument No 1768 1994 being 'The Plug and Socket etc. (Safety) Regulations 1994'.

Approval remains in force concurrent with the expiration date of this Kitemark licence.

It is a condition of approval that the Licensee maintains strict compliance with the requirements of both the Plug and Socket etc. (Safety) Regulations 1994 and the Kitemark Conditions of Contract.

Group 1: Rewireable 13 A plugs to BS 1363-1:2016 + A1:2018

| Plug Type | Rating | Colour | Reference Report |
|--|---------------------|---|---|
| HY-2 (PT13) Bar grip cord anchorage | 250 V Normal use | Nylon 66 any colour including black Polycarbonate any colour including black | 241/4322614, 241/4394153 & 241/4456064 & 8215101 (YDF14/001956). |
| PT13W Bar grip cord anchorage | 250 V Rough use | Nylon 66 White Solid brass Earth pin Nylon 66 White Non-solid brass Earth pin | 241/4322614, 241/4394153, 241/4456064, 241/4551848 & 8215101 (YDF14/001956). As above plus 8215083, 8273132 & 8330639. |
| PT13HW Handle grip & Bar grip cord anchorage | 250 V Rough use | Nylon 66 white | 241/4322614, 241/4394153, 241/4456064, 241/4551848, 241/7127796 & 8215101 (YDF14/001956). |
| PT13W-TD Bar grip cord anchorage | 250 V Rough use | Nylon 66 White Solid brass Earth pin | 241/4322614, 241/4394153, 241/4456064, 241/4551848 & 8215101 (YDF14/001956). |
| | | Nylon 66 White Non-solid brass Earth pin | As above plus 8215083, 8273132 & 8330639. |
| HY-3 (HDPT13B) (HDPT13W) (HDPT13O) (HDPT13G) Bar grip cord anchorage | 250 V Rough use | Black White Orange Grey | 241/4166010, 241/4517842, 241/4567764, 241/7391054 (revised mouldings around the threaded insert in the plug cover) 8215101 (YDF14/001956), |
| 7B 7W Bar grip cord anchorage | 250 V Rough use | Black White | 9786441 (cover screw re-design). 241/4797313, 241/4836501 & 8215101 (YDF14/001956). |

The above certified plugs may be marked with the ACE, Masterplug, Perma plug, JCB, Tesco, Hongyi, British General or WORKZONE brand names.

First Issued: 2001-10-11 Effective Date: 2019-07-30 Latest Issue: 2019-07-30 Expiry Date: 2022-07-29

Page: 2 of 6

No. KM 56507

Group 2: Portable rewireable socket-outlets, 13 A 250 V, to BS 1363-2:2016 + A1:2018

Socket Type

| Item | Code | Description |
|------|------|----------------------------|
| 1 | BOG | 1-gang socket without neon |
| 2 | UG | 4-gang socket with neon |
| 3 | SXG | 6-gang socket with neon |

BSI test report numbers 241/4237844, 241/4381174, 8215101 (YDF14/001957), 8780493 and 8887070 refer.

The above-certified extension leads may be produced in any combination of the following colours:

| Colour | Code | Colour | Code | Colour | Code |
|--------|------------------------|----------------|------|--------------------|------|
| Black | В | Silver | SL | translucent red | TR |
| White | Blank (default colour) | Clear | CL | translucent blue | ТВ |
| Green | G | Wood Grain | WD | translucent green | TG |
| Orange | 0 | Polished Black | PB | translucent purple | TP |

The products detailed in Group 2 may be factored under the Tesco, ACE, British General, Homebase, Masterplug or WORKZONE brand names.

Product Part Number Guide (informative)

| В | O | G | * | ** | | * | |
|-----|--------|-----|---------------------|-------------------|--|---------|--|
| Soc | cket C | ode | Cable Length NOTE 1 | Cable size NOTE 1 | | Colour# | |

[#] Optional field when deviating from default product.

NOTE 1: Any cable fitted to a portable socket-outlet when supplied is not covered by the scope of this certification.

First Issued: 2001-10-11 Effective Date: 2019-07-30 Latest Issue: 2019-07-30 Expiry Date: 2022-07-29

Page: 3 of 6

[#] Standard (default) product is white.

No. KM 56507

Group 3: Portable non-rewireable 13 A socket-outlets to BS 1363-2:2016 + A1:2018

Socket Type

| Item | Code | Description | Cable length |
|------|------|------------------------------------|--------------|
| 1 | BTG | 2-gang socket without neon | Up to 15 m |
| 2 | BTN | 2-gang socket with neon | Up to 15 m |
| 3 | BFG | 4-gang socket without neon | Up to 15 m |
| 4 | BFN | 4-gang socket with neon | Up to 15 m |
| 5 | BSG | 6-gang socket without neon | Up to 15 m |
| 6 | BSN | 6-gang socket with neon | Up to 15 m |
| 7 | BEN | 8-gang socket with neon Up to 15 m | |

BSI test report numbers 241/4237844, 241/4303331, 241/4381174, 241/4445925, 241/4463669, 241/4570619, 8215101 (YDF14/001958), 8506575, 8780493 and 8887070 refer.

The above-certified extension leads may be produced in any combination of the following colours:

| Colour | Code | Colour | Code | Colour | Code |
|--------|------------------------|----------------|------|--------------------|------|
| Black | В | Silver | SL | translucent red | TR |
| White | Blank (default colour) | Clear | CL | translucent blue | ТВ |
| Green | G | Wood Grain | WD | translucent green | TG |
| Orange | 0 | Polished Black | РВ | translucent purple | TP |

The products detailed in Group 3 may be factored under the Tesco, ACE, British General, Homebase, Masterplug or WORKZONE brand names.

Product Part Number Guide (informative)

| В | F | N | * | ** | * | |
|-------------------------------------|---|-------------------------------------|---|--|-------------------------|--|
| Socket Code | | ode | Cable Length | Cable size# | Colour# | |
| 3 x 1.25 mm | | | 3 x 1.25 mm ² 15 metres max. | Blank = $3 \times 1.25 \text{ mm}^2$ (default) | Blank = white (default) | |
| 3 x 1 mm ² 2 metres max. | | 3 x 1 mm ² 2 metres max. | $10 = 3 \times 1 \text{ mm}^2$ | B = black | | |

[#] Optional fields when deviating from default product.

Standard (default) products are 3 x 1.25 mm² cable, white.

Example code: BFN210B = 4-gang with neon, 2 metres, $3 \times 1 \text{ mm}^2$, black

First Issued: 2001-10-11 Effective Date: 2019-07-30 Latest Issue: 2019-07-30 Expiry Date: 2022-07-29

Page: 4 of 6

No. KM 56507

Group 3: Portable non-rewireable 13 A socket-outlets to BS 1363-2:2016 + A1:2018 (continued).

The socket-outlets of Group 3 are certified for use with the following flexible cables:

| Size (mm²) | Code | Manufacturer | Approval | Rating |
|--------------------------|---------|--|--------------------------------|--------|
| 3 x 1.25 mm ² | H05VV-F | Masterplug/Cixi Hongyi cable | DEKRA certification 2157851.04 | 13 A |
| 3 x 1.25 mm ² | H05VV-F | Ningbo Hongyi Electronics Technology Co. Ltd. | DEKRA certification 2184433.01 | 13 A |
| 3 x 1 mm ² | H05VV-F | Masterplug/Cixi Hongyi cable | DEKRA certification 2157851.04 | 13 A |
| 3 x 1 mm ² | H05VV-F | Ningbo Hongyi Electronics Technology Co. Ltd. | DEKRA certification 2184433.01 | 13 A |

The following models from Group 3 may be factored under the Dixons Sourcing Ltd brand name LOGIK using part numbers as shown:

| Code | LOGIK part numbers | Description | Cable length |
|------|--------------------|---|--------------|
| BFG | L4WAY2M16 | 4-gang socket, without neon. | 2 m |
| BFG | L4WAY4M16 | 4-gang socket, without neon. | 4 m |
| BSG | L6WAY2M16 | 6-gang socket, without neon. | 2 m |
| BSG | L6WAY4M16 | 6-gang socket, without neon. | 4 m |
| BFG | L4WAY2T16 | 4-gang socket, without neon, twin packed. | 2 m |

First Issued: 2001-10-11 Effective Date: 2019-07-30 Latest Issue: 2019-07-30 Expiry Date: 2022-07-29

Page: 5 of 6

No. KM 56507

Group 4: Shaver adaptors to BS 1363-3:2016 + A1:2018

| Adaptor Type | Rating | Colour | Reference Report |
|--------------|-------------|--------|---|
| SHAD | 1 A / 250 V | White | 241/4354225, 241/4619209, 241/4670548 & 8215101 (YDF14/001959). |

The products detailed in Group 4 may be factored under the Tesco, British General, Masterplug, ACE or WORKZONE brand names.

The following BS 646 fuse links may be fitted to model SHAD:

| Manufacturer | Rating | Breaking capacity | Certification |
|-------------------|-------------|-------------------|-----------------------|
| Group Talents Ltd | 1 A / 250 V | 1 kA | ASTA Licence No. 1371 |

First Issued: 2001-10-11 Effective Date: 2019-07-30 Latest Issue: 2019-07-30 Expiry Date: 2022-07-29

Page: 6 of 6